

SKID STEER SPEC GUIDE

ASV Inc.

Model	Approx. price	Engine (make & horsepower)	Rated operating capacity (pounds)	Tipping load (pounds)	Hydraulic pump capacity (gpm)	Overall length (inches)	Overall width (inches)	Overall height (inches)	Height to hinge pin (inches)	Machine weight (pounds)
RC-50	\$29,000	Caterpillar, 50	1,500****	3,000	16.3	100**	60	77	115	4,750**
R-50	\$28,000	Perkins, 50	1,500****	3,000	16.3	100**	60	77	115	4,750**
RC-30	\$22,000	Caterpillar, 31.5	800****	1,600	10	91**	46.5	71	80.25	2,935**
2800/2810	*	Isuzu, 70/83	2,350****	4,700	19/25***	112**	69	82.5	109	6,850**
4810	*	Caterpillar, 105	2,950****	5,900	19/30***	115**	69	82.5	114	7,500**

* Check with supplier for pricing. ** Without bucket. *** Low flow/high flow. ****50% tip load.

ASV's newest machines, the RC-50 and R-50 all surface loaders, provide contractors with an alternative to wheeled skid-steers. ASV equipment is designed to work in virtually any condition and features technologically advanced MTSS and RTSS undercarriages. These rubber tracked undercarriages allow users to increase productivity and profitability in all conditions, from tough construction sites to sensitive landscaping.

Circle 182 on reply card.



BOBCAT

Model	Approx. price	Engine (make & horsepower)	Rated operating capacity (pounds)	Tipping load (pounds)	Hydraulic pump capacity (gpm)	Overall length (inches)	Overall width (inches)	Overall height (inches)	Height to hinge pin (inches)	Machine weight (pounds)
463	*	Kubota, 15.7	700	1,421	10	100.6**	36**	71.4	94.5	2,708
553	*	Kubota, 22.5	950	1,953	8.5	107.3**	49.4**	72.5	103.7	3,664
753	*	Kubota, 43.5	1,300	2,600	14.3	120.5**	55**	77	109.1	4,740
763	*	Kubota, 46	1,500	3,000	15	130.1**	68**	77.3	114.5	5,368
S175	*	Kubota, 46	1,750	3,900	16.7(standard)	130.3**	68**	76.3	118.2	5,808
S185	*	Kubota, 56	1,850	3,900	16.7(standard)	130.3**	68**	76.3	118.2	5,808
863	*	Deutz, 73	1,900	3,800	20	135.4**	74**	82.3	82.3	7,045
S250	*	Deutz, 73	2,500	5,000	20.7	142.9**	74**	80.9	126.4	7,674
883	*	Deutz, 73	2,750	5,500	20.7	140.7**	78**	79	124.3	8,760
963	*	Perkins, 105	3,000	6,000	26.2	153.6**	79.6**	89.7	128	9,900

* Check with supplier for pricing. ** With bucket

The latest skid steer loader from Bobcat Co., the S250, is a vertical lift path loader designed for tough-duty construction, landscaping, masonry, rental and a variety of lift-and-carry applications. Its lift arms are made from 5/16-inch steel and are 3.75 inches wide. The S250 replaces the 873 loader in the Bobcat line.

Circle 183 on reply card.



CASE CE

Model	Approx. price	Engine (make & horsepower)	Rated operating capacity (pounds)	Tipping load (pounds)	Hydraulic pump capacity (gpm)	Overall length (inches)	Overall width (inches)	Overall height (inches)	Height to hinge pin (inches)	Machine weight (pounds)
40XT	*	Case, 60	1,500	3,000	19.1	129**	49	150.9**	114.6	5,716***
60XT	*	Case, 75	1,800	3,600	21	132.9**	52.6	158**	121.5	6,562***
70XT	*	Case, 85	2,000	4,000	21	132.9**	60.9	158**	121.5	6,906***
75XT	*	Case, 75	2,200	4,400	21	131.5**	52.6	152.8**	119.7	6,700***
85XT	*	Case, 80	2,400	4,800	25.1	135.5**	59.7	159.6**	122.4	8,057***
90XT	*	Case, 85	2,450	4,900	25.1	137.6**	64.5	150.3**	124.5	8,950***
95XT	*	Case, 85	3,150	6,300	27.6	142.9**	64.5	163**	125.5	9,050***
1825XT	*	Kubota, 30	885	1,770	9.6	109**	37	126.9**	98.2	3,107***

* Check with supplier for pricing. ** With low profile bucket. *** With 165 pound operator.

Case XTreme Machines feature seven new XT skid steers with the power, lift, maneuverability and attachments to comfortably tame any job site. Case skid steers can handle a range of work from finessing through a narrow gate with a load of sod to hauling a 3,000-pound load of crushed rock.

Circle 184 on reply card.



CATERPILLAR

Model	Approx. price	Engine (make & horsepower)	Rated operating capacity (pounds)	Tipping load (pounds)	Hydraulic pump capacity (gpm)	Overall length (inches)	Overall width (inches)	Overall height (inches)	Height to hinge pin (inches)	Machine weight (pounds)
216	*	Cat, 51	1,400	2,700	15.1	99**	60	77	112	5,490
226	*	Cat, 58	1,500	3,000	15.1	99**	60	77	112	5,645
228	*	Cat, 58	1,500	3,000	30	99**	60	77	112	5,843
232	*	Cat, 51	1,750	-	15	99**	60	77	119	5,884
236	*	Cat, 63	1,750	3,500	22	110**	72	82	122	6,860
242	*	Cat, 58	1,900	-	15	99**	60	77	119	6,005
246	*	Cat, 80	2,000	4,000	22	110**	72	82	122	7,036
248	*	Cat, 80	2,000	4,000	33	110**	72	82	122	7,338
252	*	Cat, 63	2,250	4,600	22	113**	72	80	128	7,615
262	*	Cat, 80	2,500	5,100	22	113**	72	80	128	7,655

* Check with supplier for pricing. ** Length to coupler (without attachment).

Caterpillar manufactures a complete line of skid steer loaders and work tools. Skid steer loader models include vertical lift, radial lift and high-flow models for high performance when using hydraulically powered work tools.

Circle 185 on reply card.



DAEWOO

Model	Approx. price	Engine (make & horsepower)	Rated operating capacity (pounds)	Tipping load (pounds)	Hydraulic pump capacity (gpm)	Overall length (inches)	Overall width (inches)	Overall height (inches)	Height to hinge pin (inches)	Machine weight (pounds)
1340XL	*	Yanmar, 41**	1,300	2,687	11.9	117	58.5	76.1	112	5,412
1550XL	*	Daewoo, 51**	1,500	3,946	16	126.3	58.5	76.9	114.8	6,096
1760XL	*	Daewoo, 65**	1,700	3,593	20.5	125.1	65.4	79.3	119.1	6,594
2060XL	*	Daewoo, 65**	2,000	4,338	20.5	126	65.4	80.1	122	6,777

* Check with supplier for pricing. ** Net horsepower.

The skid steer line from Daewoo combines rugged design and a durable mainframe with heavy-duty boom and reliable components. A wide stance and low center of gravity enhances performance and durability. The units offer hydrostatic transmission and direct injection Daewoo diesel engines.

Circle 186 on reply card.



GEHL

Model	Approx. price	Engine (make & horsepower)	Rated operating capacity (pounds)	Tipping load (pounds)	Hydraulic pump capacity (gpm)	Overall length (inches)	Overall width (inches)	Overall height (inches)	Height to hinge pin (inches)	Machine weight (pounds)
RL 20 - DX	\$18,360	Kubota, 20	505	1,010	12	76	38.5	78	95.5	1,635
AL 20 - DX	\$22,220	Kubota, 20	700	1,400	10.6	87	39.5	78	95.5	1,815
3635	\$18,850	Yanmar, 36	1,050/1,260	2,100	14.3	88	48/57.8	70.3	108	4,400
3935	\$19,800	Yanmar, 36	1,150/1,360*	2,520	14.3	90**	51.9/57.7**	72.3	110	4,600
4635	\$22,750	Deutz, 44/57	1,425/1,625	2,850	19/30	89.5	62	76	115	6,060
4835	\$24,380	Deutz, 57	1,575/1,775*	3,250	19/30	93.75**	62	76	115	6,240
5635	\$26,700	Deutz, 60/80	1,900/2,350	3,800	23/36	100.75	66.25	79.25	122.75	6,960
6635	\$31,120	Deutz, 80	2,200/2,650*	4,400	23/36	106.75**	66.25	79.25	122.75	7,365
7600	\$40,850	Yanmar, 90	3,150	6,300	29/40	117.5	80.3	81.1	142	9,745
7800	\$46,530	Yanmar, 110	3,600	7,200	40	117.5	80.3	81.1	142	9,952
CTL 60	\$37,189	Yanmar, 67	2,315	4,630	18	107.8	62.2	83.4	119.5	7,497
CTL 80	\$55,955	Yanmar, 102	3,528	7,056	23.4	121.4	73.2	87	126.1	10,692

*With optional counterweight. ** Less bucket.

Gehl offers its 3000 Series, 7000 Series and 35 Series skid steer loaders. The new 7000 Series features a lift height of nearly 12 feet, load ratings up to 3,600 pounds and full 360-degree visibility.

Circle 187 on reply card.



HYUNDAI CE

Model	Approx. price	Engine (make & horsepower)	Rated operating capacity (pounds)	Tipping load (pounds)	Auxiliary hydraulic flow (gpm)	Overall length (inches)	Overall width (inches)	Overall height (inches)	Height to hinge pin (inches)	Machine weight (pounds)
HSL610	*	Yanmar, 41.4	1,350	2,700	16.1 gpm	127.9**	60***	77	111.6	5,250
HSL810	*	Yanmar, 70	1,790	3,600	19.6 gpm	136.6**	67.3***	78.7	124	7,230

* Check with supplier for pricing. ** With bucket. *** Less bucket.

Hyundai features two skid steers in its line of construction equipment - the HSL610 and HSL810. Both have the ROPS/FOPS canopy as standard equipment as well as a safety bar and seat belt.

Circle 188 on reply card.



JCB

Model	Approx. price	Engine (make & horsepower)	Rated operating capacity (pounds)	Tipping load (pounds)	Hydraulic pump capacity (gpm)	Overall length (inches)	Overall width (inches)	Overall height (inches)	Height to hinge pin (inches)	Machine weight (pounds)
190 Wheeled Robot	*	JCB, 80	1,985**	3,969	20	138	-	79	123	7,717
1110 Wheeled Robot	*	JCB, 92	2,425**	4,851	20	138	-	79	123	8,214
190 Tracked Robot	*	JCB, 80	2,910**	5,821	20	138	-	80	123	9,702
1110 Tracked Robot	*	JCB, 92	3,220**	6,439	20	138	-	80	123	10,198

* Check with supplier for pricing. ** 50 percent tipping load.

The new 190 and 1110 Robots from JCB replace the previous 185 and 1105 Robots with increased operating capacities. The two new skid steer loaders are also available as the 190T and 1110T equipped with high drive rubber track systems that provide increased flotation, reduced ground bearing pressure and increased lift capacity.

Circle 189 on reply card.



JOHN DEERE

Model	Approx. price	Engine (make & horsepower)	Rated operating capacity (pounds)	Tipping load (pounds)	Hydraulic pump capacity (gpm)	Overall length (inches)	Overall width (inches)	Overall height (inches)	Height to hinge pin (inches)	Machine weight (pounds)
240	\$21,199	Deere, 53	1,500	3,400	14.6*	102**	63.7**	75.4	114	6,165
250	\$23,049	Deere, 64.4	1,750	3,600	17.6*	102**	69.9**	76.8	115.2	6,250
260	\$27,549	Deere, 72.4	2,400	5,000	21.3*	115**	76.2**	82.9	127	8,250
270	\$32,039	Deere, 82	2,800	5,600	21.3*	115**	76.2**	82.9	127	8,500
280	\$37,569	Deere, 90	3,200	7,000	28*	115**	77.2**	82.9	127	9,200

*Standard flow. ** Without bucket.

The John Deere 200 Series' patented vertical lift system provides greater reach for precise center load placement and efficient truck loading. The series features a triple-interlock operator presence system, meaning the operator must be securely in the seat, with seat belt fastened and parking brake disengaged prior to actuating the boom or attachment.

Circle 190 on reply card.



KANGA LOADERS

Model	Approx. price	Engine (make & horsepower)	Rated operating capacity (pounds)	Tipping load (pounds)	Hydraulic pump capacity (gpm)	Overall length (inches)	Overall width (inches)	Overall height (inches)	Height to hinge pin (inches)	Machine weight (pounds)
G-520	\$12,750	Honda, 20	550	1,100	10.5	59	37	49	67	1,430-1,540
G-524	\$13,375	Honda, 24	550	1,100	10.5	59	37	49	67	1,430-1,540
DL-520	\$15,000	Kubota, 20	550	1,200	10.5	59	37	49	67	1,580
KK 113	\$7,695	Honda, 13	220	440	6	51	30	45	48	-

Kanga mini skid loaders are compact, multi-purpose machines available in 13 to 24 hp models, offering versatility with a range of practical attachments. More than 21 years of continual hands-on development has resulted in these industrial workhorses.

Circle 191 on reply card.



MUSTANG

Model	Approx. price	Engine (make & horsepower)	Rated operating capacity (pounds)	Tipping load (pounds)	Hydraulic pump capacity (gpm)	Overall length (inches)	Overall width (inches)	Overall height (inches)	Height to hinge pin (inches)	Machine weight (pounds)
2022	*	Yanmar, 36	1,050	2,100	14.4	88**	48.3/58.1***	70.3	108	4,400
2032	*	Yanmar, 36	1,250	2,500	14.4	90**	48.3/58.1***	72.3	110	4,600
2044	*	Yanmar, 43	1,450	2,900	18	95.2**	56.5****	76.5	112	5,600
2054	*	Yanmar, 49	1,650	3,300	18.5	96.8**	58.1****	76.5	115	6,050
2064	*	Isuzu, 62	1,900	3,800	22	102**	60.7****	82.5	119	7,300
2074	*	Isuzu, 75	2,250	4,500	22	106**	60.7****	82.5	119	7,650
2095	*	Yanmar, 90	3,150	6,300	29	117.5**	79.5****	80.8	142	9,425
2105	*	Yanmar, 110	3,600	7,200	29	117.5**	79.5****	80.8	142	9,475

* Check with supplier for pricing. ** Without bucket. *** With 27x8.5x15 HD tires. **** With solid rubber tires mounted inward.

Mustang introduces four new skid steers with more power, greater lift and better ergonomic design. The 2044, 2054, 2064 and 2074 have lift capacities ranging from 1,450 to 2,250 pounds and a SAE tilt break-out force ranging from 4,000 to 6,000 pounds.

Circle 192 on reply card.



NEW HOLLAND CONSTRUCTION

Model	Approx. price	Engine (make & horsepower)	Rated operating capacity (pounds)	Tipping load (pounds)	Hydraulic pump capacity (gpm)	Overall length (inches)	Overall width (inches)	Overall height (inches)	Height to hinge pin (inches)	Machine weight (pounds)
LS120	*	New Holland, 16.5	600	1,200	7.5	64.7**	35.2**	69.4	93.6	2,050
LS125	*	New Holland, 18	700	1,400	7.5	67.5**	35.2**	69.4	93.6	2,185
LS140	*	New Holland, 32	1,250	2,565	10.8	92.8**	58.6**	73.4	110.2	4,395
LS150	*	New Holland, 38	1,350	2,565	11.9	92.8**	58.6**	73.4	114.3	4,500
LS160	*	New Holland, 42.5	1,500	3,500	15.5	98.2**	64.58**	75.3	115.1	5,534
LS170	*	New Holland, 52	1,700	3,530	17.7/26.2	98.2**	64.58**	75.3	115.1	5,540
LS180	*	New Holland, 67	2,200	5,110	18.5/32.3	112.1**	71.25**	77.8	124.7	7,193
LS190	*	New Holland, 83	2,800	5,684	20/33.8	119**	76.4**	79.6	125.6	7,860

* Check with supplier for pricing. ** Without bucket.

Featuring New Holland Construction's third generation Superboom vertical-lift design, each LS skid steer offers a low center of gravity and a long wheelbase to provide better stability and more lift capacity. The operator's environment is wide and roomy with no restraint bar to hinder movement.

Circle 193 on reply card.



TAKEUCHI

Model	Approx. price	Engine (make & horsepower)	Rated operating capacity (pounds)	Tipping load (pounds)	Hydraulic pump capacity (gpm)	Overall length (inches)	Overall width (inches)	Overall height (inches)	Height to hinge pin (inches)	Machine weight (pounds)
TL130	*	Yanmar, 67	1,620	4,630	18.0	135.1**	62.2***	83.4	119.3	7,497
TL150	*	Yanmar, 101.5	2,470	7,056	23.4	154.8**	73.2***	86.8	126.1	10,692

* Check with supplier for pricing. ** With bucket. *** Without bucket.

Introduced to the North American market in the early 1990s, Takeuchi rubber track loaders are the product of years of research, field-testing, evaluations and product refinement. Takeuchi loaders are engineered from the ground up with the power and strength of conventional track loaders yet packaged in agile and maneuverable sizes suitable for any job site.

Circle 194 on reply card.



THOMAS EQUIPMENT

Model	Approx. price	Engine (make & horsepower)	Rated operating capacity (pounds)	Tipping load (pounds)	Hydraulic pump capacity (gpm)	Overall length (inches)	Overall width (inches)	Overall height (inches)	Height to hinge pin (inches)	Machine weight (pounds)
25G	\$12,100	Kubota, 25	475	950	8.5	61.25**	39.9**	49.5	68.25	1,500
85	\$14,700	Kubota, 19.8	850	1,800	8	83.5**	35.75**	71.4***	93.5	2,983
105	\$18,500	Kubota, 33	1,000	2,000	8.7	91**	50.75**	71***	102.5	3,700
135	\$17,800	Kubota, 43	1,300	2,600	14.5	102.75**	53**	73.8***	109.8	4,800
153	\$20,800	Kubota, 50	1,500	3,000	16.6	104.4**	57.5**	73.5***	110	5,520
175	\$24,400	Kubota, 59.5	1,750	3,500	16.6	110.25**	68**	83***	133.25	7,000
245	\$28,900	Kubota, 90	2,400	4,800	20.5	119.5**	70.8**	84***	123.8	8,000
245HF	\$30,900	Kubota, 90	2,400	4,800	38	119.5**	70.8**	84***	123.8	8,000
1300	*	Kubota, 43	1,300	2,600	14.5	102.75**	53**	73.8***	109.8	4,800
1700	*	Kubota, 50	1,700	3,400	16.6	110.25**	64.25**	83***	133.25	6,600
2200	*	Kubota, 87	2,200	4,800	16	117.25**	70.8**	84***	123.8	8,000

* Check with supplier for pricing. ** Without bucket. *** Height to top of cab.

Thomas Equipment Ltd. manufactures and distributes through a worldwide network of dealers and distributors a full line of skid steer and mini skid steer loaders. Any major component can be removed in 90 minutes or less.

Circle 195 on reply card.



Break Anything... Except the Bank



Komac Offers a Full Line of Breaker Attachments for Skid Steer Loaders, Mini-Excavators, Rubber Tire Backhoes & Large Excavators.

- Simple, efficient design with only 2 moving parts
- Replaceable tool bushings
- Power to weight balance for efficient breaking
- Quick change working steel
- Adjustable blow speed to improve efficiency
- Oil flow adjustable to a wide range of carriers
- Gas charged to maximize efficiency
- Low noise level for use in the city environment
- Vibration & shock is controlled by shock absorbing polymers, minimizing machine wear, sound & improving operator comfort level
- Can be equipped for underwater use

KB200V Universal Mount
Comes complete with Bracket, Hydraulic Quick Coupler & Your Choice of Moil or Chisel. **\$4,680**

**LEASING AVAILABLE.
WE CARRY PARTS
FOR KOMAC
AND OTHER BRANDS.**

Old Forge Enterprises, Inc. d.b.a.
KOMAC
SALES
Kent Ohio

563 Old Forge Road • Kent, Ohio 44240
Phone: 330.677.0930 Fax: 330.677.0959
Evening Use: 330.289.0486 • e-mail: royj@apk.net

SUBSCRIBE TODAY!

RER REPORTS

A free weekly electronic news service for the rental equipment industry.



RER Product Wire

A free weekly e-mail newsletter that features photos and product descriptions of new equipment maintenance products, services and supplies for the rental industry.



To subscribe, visit rermag.com

RER

RENTAL EQUIPMENT REGISTER

THE TORO COMPANY

Model	Approx. price	Engine (make & horsepower)	Rated operating capacity (pounds)	Tipping load (pounds)	Hydraulic pump capacity (gpm)	Overall length (inches)	Overall width (inches)	Overall height (inches)	Height to hinge pin (inches)	Machine weight (pounds)
Dingo Kubota Diesel	*	Kubota, 20	515	1,030	12.1	62**	40.5**	48.7**	66	1,722
Dingo Kohler Gas 322	*	Kohler, 22	515	1,030	12.1	62**	40.5**	48.7**	66	1,567
Dingo TX 420	*	Kohler, 20	500	1,427	11.2	70.7**	33.7**	46**	65.8	1,830
Dingo TX 425 Wide Track	*	Kohler, 25	500	1,427	11.2	70.7**	41**	46**	65.8	2,010
Dingo 220	*	Kohler, 20	515	1,030	12.1	62**	40.5**	48.7**	66	1,440

* Check with supplier for pricing. ** Without attachment.

The Toro Dingo 200 Series line combines hydraulic power with durability to complete landscaping jobs in a fraction of manual labor time. The Dingo 300 Series helps landscaping, irrigation, fencing and general utility contractors reduce crew sizes. The Dingo TX 400 Series offers ease of operation and 360-degree operator visibility.

Circle 196 on reply card.



VOLVO CE

Model	Approx. price	Engine (make & horsepower)	Rated operating capacity (pounds)	Tipping load (pounds)	Hydraulic pump capacity (gpm)	Overall length (inches)	Overall width (inches)	Overall height (inches)	Height to hinge pin (inches)	Machine weight (pounds)
SL60	*	Kubota, 49.4	1,350	2,700	16.4	129.5**	59.5	77.7	113	5,404
SL70	*	Kubota, 49.4	1,500	3,000	16.4	129.5**	65	78	113.8	5,867
SL80	*	Perkins, 86	1,850	3,912	19	137.8**	71.8	80	121	6,980
SL90	*	Perkins, 86	2,000	4,000	19	137.8**	71.8	80.5	121	6,945
SL110	*	Perkins, 86	2,450	4,900	22	140.8**	71.8	80.5	121	7,675

* Check with supplier for pricing. ** With bucket.

The new skid steer line from Volvo Construction Equipment offers a universal attachment system, rugged styling, good breakout force and lift capacity, and easy service access. The line is scheduled to launch at the end of this year. These specifications are preliminary and subject to change.

Circle 197 on reply card.



McLaren
INDUSTRIES, INC.
www.mclarenrubber.com

CALL TODAY
1-800-830-0040
1-561-410-1075

PROTRAC
TIRE AND TRUCK

www.skidloadertires.com

Go where no one else can go with PROTRAC.



**HEAVY DUTY
RUBBER TRACKS**

Backhoes
Agricultural Machines
Skid Steer Loaders
Log skidders
Grapple Loaders



PROTRAC TRACKS

PROTRAC TRACKS

Protrac tracks are the ultimate in skid steer tracks.